

AR-IDB-8P-3





1 General

1.1 Scope

- The body is made of high quality engineering plastic with good strength.
- With a special-shaped secure lock, the box can be easily opened and has good waterproof performance, suitable for indoor and outdoor natural environments.
- With independent rubber sealing plug for drop cable, better waterproof performance
- With a double-page layout, the box can be easily installed and maintained. Combination and termination are completely separate.
- The drop leaf can be installed 1 pcs of 1*8 Tube Type Splitter

1.2 Application

- The telecommunication network, metropolitan area network, optical fiber
- communication system
- Fiber broadband access network, FTTH fiber into the home
- Optical fiber distribution frame, frame type and wall hung type optical fiber distribution








2 Technical Data

2.1 Technical Characteristis

Item	Technical parameters
A*B*C(mm)appearance dimension	227*181*65
Capacity	8 Ports SC, 16 Ports LC
Material	PC+ABS, ABS,PC
Color	Black, Grey White
ProtectionLevel	IP66
Flame retardant performance	Non-flame retardant
Splitter	Can be with 1x1:8 tube splitter







Top View

Side View

Bottom View



3 Packaging Information

3.1 Packaging

Individual packaging:320*270mm Box packaging: 250*210*65mm Box Packaging 525*445*370mm QTY (20PCS/Box) Packaging Weigth: 15KG